

belbien Web Site

www.belbien.com

belbien WEB site is a WEB site full of technical data and the latest information about the belbien. Search for items by codes, by catalogue, by chart, such as a variety of conditions, you can download the billing and texture image of the sample.



1 Easy operation.



2 All patterns are available.



3 Access to various types of data.

AMBTRA, Inc.

8000 Regency Pkwy. Ste. 500
Cary, NC 27518
Tel: 919-460-1212
Fax: 919-460-0258

English

www.belbien.com

belbien.com is website where technical information and the latest information about belbien can be obtained. Patterns can be searched easily by its code, function and various methods on this website. You can also download texture images. Please kindly ask any questions through this website.

Original sample data (254px × 254px 72dpi) and 1/5 scale large-sized data can be downloaded for some petterns. Categorized by types of buildings, the latest installation photos are available for your reference.

belbien® | 2016-18
BELBIEN SAMPLE BOOK

Table of contents

SUPER REAL WOOD	1
WOOD	8
ABSTRACT PATTERN	15
METAL	19
FABRIC	23
LEATHER	24
STONE / SAND / STUCCO	25
BASIC COLOR	27
BELBIEN EX	29
SHIKKUI LEMARGE	31
WHITE BOARD SHEET	33
ON-DEMAND GLASS FILM	34
NUMBER INDEX	35
BELBIEN WEB SITE	37

How to read samples



① SW-103 Vector Mahogany
W=570 H=970 1/2step
② ③ ④ ⑤ ⑥ ⑦

- ① Pattern Number
- ② Name
- ③ Horizontal Repeat
- ④ Vertical Repeat
- ⑤ Transfer Pattern
- ⑥ Wood Grain
- ⑦ Function Icon

Color Fastness
about 10years

Color Fastness
3-5years

Twinkling effect
under lights.

SF
Special finish

Bigger image
Bigger images are available
in "the Image Book".

Please refer to "Technical Data".

www.belbien.com

Please refer to the left page.
Access our website for more information and photos.

Japanese Wood



SW-152 Hinoki
W=635 H=945 1/2step **NEW**  S



SW-141 Sen **NEW**  S



SW-28 Keyaki  C



SW-149 Ibushi Gaki **NEW**  SC



SW-145 Shiratsuchi Gaki **NEW**  SC



SW-144 Kaki **NEW**  SC



SW-146 Shibusumi Gaki **NEW**  SC



SW-144 (Kaki SC)

Oak



SW-150 (Naked Oak)



SW-150 Naked Oak **NEW**  S



SW-151 Greige Oak **NEW**  S



SW-125 Ivory Oak
W=375 H=810 box S



SW-126 Ivory Oak  SC



SW-124 Naked Oak SC



SW-139 Real Oak S



SW-140 Real Oak  C



SW-54 Viera Oak  SC



SW-55 Aruba Oak SC



SW-64 Irene Oak   SC



SW-65 Nadja Oak   SC

Ash



SW-113 Naked Ash S



SW-60 Mave Ash S



SW-61 Oisein Ash S



SW-114 Brownny Ash S



SW-111 White Ash S



SW-112 Charcoal Ash  S

Icon



Bigger image

Bigger images are available in "the Image Book".

Icon



Color Fastness 3-5years

Please refer to "Technical Data" P13-P15.



Bigger image

Bigger images are available in "the Image Book".

Walnut



SW-147 (Naked Italian Walnut)



SW-148 Naked American Walnut
W=585 H=960 1/2step NEW SC



SW-142 Margot Walnut
W=585 H=955 1/2step SC NEW



SW-143 Henri Walnut
W=585 H=955 1/2step SC NEW



SW-100 Elite Walnut
W=600 H=970 1/2step SC



SW-101 Grand Walnut
W=600 H=970 1/2step SC



SW-102 Dandy Walnut
W=600 H=970 1/2step SC

C



SW-98 Rosé Walnut
W=400 H=385 1/2step S



SW-99 Valois Walnut
W=400 H=385 1/2step

D

Elm



SW-131 (Shabby Chic Elm S)



SW-127 Grayish Elm
W=460 H=970 1/2step SC



SW-137 Bitter Elm
W=485 H=1000 1/2step S

A



SW-128 Naked Elm
W=485 H=1000 1/2step S



SW-133 Snow Elm
W=485 H=1000 1/2step S



SW-70 Petit Elm
W=460 H=970 1/2step SC



SW-131 Shabby Chic Elm
W=485 H=1000 1/2step S



SW-129 Grunge Chic Elm
W=485 H=1000 1/2step S

C



SW-110 Black Elm
W=460 H=970 1/2step SC

B

Icon



Color Fastness
3-5years

Please refer to
"Technical Data"
P13-P15.



Bigger image
Bigger images
are available
in "the Image Book".

Icon



Color Fastness
3-5years

Please refer to
"Technical Data"
P13-P15.



Bigger image
Bigger images
are available
in "the Image Book".

5

www.belbien.com

A

B

C

D

1

2

3

4

5

6

Cherry



SW-118 Naked Cherry

W=400 H=810 1/2step

S



SW-18 Omi Sakura

W=400 H=810 1/2step

S



SW-27 Omi Sakura

W=415 H=970 box

C



SW-80 Siena Cherry

W=400 H=810 1/2step

S



SW-93 Siena Cherry

W=400 H=805 1/2step

S



SW-43 Angel Wood

W=370 H=970 1/2step

SC



SW-117 Baked Cherry

W=400 H=810 1/2step

S



SW-81 Mid Cherry

W=400 H=810 1/2step

S



SW-47 Palace Cherry

W=400 H=810 1/2step

S

Maple



SW-33 Bird's Eye Natural

W=295 H=970 box

B



SW-44 Central Anigre

W=290 H=970 1/2step

S



SW-66 Victorian Anigre

W=290 H=970 1/2step

S

Sycamore



SW-95 Grace Sycamore

W=450 H=970 1/2step

S



SW-96 Natalie Sycamore

W=450 H=970 1/2step

S



SW-72 Beige Sycamore

W=620 H=970 1/2step

SC



SW-97 Loren Sycamore

W=450 H=970 1/2step

S



SW-73 Dark Sycamore

W=620 H=970 1/2step

SC

Icon



Color Fastness
3-5years

Please refer to
"Technical Data"
P13-P15.



Bigger image

Bigger images
are available
in "the Image Book".

5

www.belbien.com

A

B

C

D

1

2

3

4

5

6

Teak



SW-82 White Teak

W=240 H=810 1/2step

S



SW-115 Naked Teak

W=240 H=810 1/2step

S



SW-90 Modern Teak

W=580 H=970 1/2step

S



SW-91 Moderate Teak

W=580 H=970 1/2step

S



SW-15 Victoria Teak

W=240 H=810 1/2step

S



SW-58 Milano Teak

W=585 H=970 1/2step

C



SW-79 Almagnac Teak

W=240 H=810 1/2step

S



SW-59 Torino Teak

W=585 H=970 1/2step

C



SW-92 Gray Teak

W=580 H=970 1/2step

S



SW-84 Frigo Teak

W=240 H=810 1/2step

S

Purplewood



SW-134 White Purplewood

W=480 H=970 1/2step

SC



SW-88 Purplewood

W=480 H=970 1/2step

SC



SW-89 Dark Purplewood

W=480 H=970 1/2step

SC

Macassar



SW-135 Brosse Macassar

W=430 H=970 1/2step

C



SW-75 Black Macassar

W=430 H=970 1/2step

C



SW-136 Husky Macassar

W=430 H=970 1/2step

C

Bubinga



SW-121 White Bubinga

W=560 H=970 1/2step

S



SW-85 Bubinga Bello

W=560 H=970 1/2step

S



SW-86 Bubinga Rosso

W=560 H=970 1/2step

S



SW-122 Black Bubinga

W=560 H=970 1/2step

S

Icon



Color Fastness
3-5years

Please refer to
"Technical Data"
P13-P15.



Bigger image

Bigger images
are available
in "the Image Book".

8 : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain
When selecting from this page, please be sure to read "Technical Data" P13-P15.

SUPER REAL WOOD

www.belbien.com 6

Oak



W-651 (Rowdy Oak Light)



W-652 Rowdy Oak Beige
W=700 H=1300 1/2step NEW SC



W-650 Rowdy Oak Greige
W=700 H=1300 1/2step SC NEW



W-651 Rowdy Oak Light
W=700 H=1300 1/2step SC NEW



W-631 Cinnamon Oak
W=1220 H=950 box NEW S



W-628 Salt Oak
W=1220 H=950 box NEW S



W-629 Naked Oak
W=1220 H=950 box NEW S



W-630 Pepper Oak
W=1220 H=950 box NEW S



W-630 (Pepper Oak)



WB-403 Siberian Oak
W=525 H=970 1/2step S



WB-401 Canard Oak
W=430 H=970 1/2step S



W-200 White Oak
W=525 H=970 1/2step S



W-390 Slender Oak
W=470 H=985 1/2step C



W-719 Missouri Gray
W=430 H=970 1/2step S



WB-400 Lapin Oak
W=430 H=970 1/2step S



W-720 Missouri Light
W=430 H=970 1/2step S



W-721 Missouri Oak
W=430 H=970 1/2step S

Oak



W-345 Oscar Oak
W=585 H=970 1/2step SC



W-346 Bernerd Oak
W=585 H=970 1/2step SC



WA-380 Nuts Oak
W=480 H=980 1/2step S



W-201 Bisky Oak
W=525 H=970 1/2step S



WB-404 Gale Oak
W=525 H=970 1/2step S



WA-381 Sienna Oak
W=480 H=980 1/2step S



WA-382 Dark Umber Oak
W=480 H=980 1/2step S



W-262 Storm Oak
W=400 H=1320 1/2step S



W-391 Modest Oak
W=470 H=985 1/2step C



WB-405 Bison Oak
W=525 H=970 1/2step S



W-202 Bitter Oak
W=525 H=970 1/2step S



W-303 Black Oak
W=535 H=810 box S



WB-402 Balena Oak
W=430 H=970 1/2step S

Ash



W-304 Vanilla Ash
W=300 H=810 box S



W-252 Swan Ash
W=565 H=1300 1/2step S

Elm



W-250 Comet Elm
W=455 H=980 1/2step S



W-251 Luna Elm
W=455 H=980 1/2step S



W-716 Light Gray Ash
W=300 H=810 box S



W-714 Light Ash
W=300 H=810 box S



W-253 Turkey Ash
W=565 H=1300 1/2step S



W-715 Natural Ash
W=300 H=810 box S



W-717 Cinnamon Ash
W=300 H=810 box S



W-244 Remain Ash
W=400 H=970 box S



W-245 Deep Ash
W=400 H=970 box S



W-306 Modest Ash
W=505 H=945 1/2step S

Icon



Color Fastness
3-5years

Please refer to
"Technical Data"
P13-P15.



Bigger image

Bigger images
are available
in "the Image Book".

Icon



Color Fastness
3-5years

Please refer to
"Technical Data"
P13-P15.



Bigger image

Bigger images
are available
in "the Image Book".

Walnut



W-635 (Clay Walnut)



W-634 Pale Walnut
W=600 H=970 1/2step NEW SC



W-635 Clay Walnut
W=600 H=970 1/2step NEW SC



W-617 Naked Italian Walnut
W=415 H=790 1/2step S NEW



W-618 Naked American Walnut
W=415 H=790 1/2step S NEW



W-620 Évreux Walnut
W=415 H=790 1/2step S NEW



W-619 Valois Walnut
W=415 H=790 1/2step S NEW



W-622 Italian Walnut
W=400 H=385 1/2step S NEW



W-623 American Walnut
W=400 H=385 1/2step S NEW



W-625 Évreux Walnut
W=400 H=385 1/2step S NEW



W-624 Medium Walnut
W=400 H=385 1/2step S NEW



W-640 Grey Striped Wood
W=575 H=970 1/2step NEW



W-641 Smoke Striped Wood
W=575 H=970 1/2step NEW



W-358 Queen's Walnut
W=410 H=980 1/2step C



W-216 Line Walnut
W=600 H=970 1/2step



W-217 Line Dark Walnut
W=600 H=970 1/2step

Noce



WA-233 Primo Noce
W=725 H=970 1/2step S



WA-232 Reggina Noce
W=725 H=970 1/2step S

Icon

Bigger image

Bigger images are available in "the Image Book".

Cherry



W-637 (Clay Cherry)



W-637 Clay Cherry
W=575 H=950 1/2step NEW SC



W-636 Plain Cherry
W=575 H=950 1/2step NEW SC




W-392 Alabama Cherry
W=330 H=1325 1/2step S



WA-386 Malaga Cherry
W=335 H=980 1/2step S



W-360 Sakura
W=415 H=995 1/2step C



W-722 Yoshino Sakura
W=400 H=810 1/2step S



W-764 Massive Cherry
W=370 H=1005 1/2step S



W-388 Toronto Cherry
W=585 H=990 1/2step C



W-205 Mandarin Cherry
W=565 H=970 1/2step SC



WA-387 Guel Cherry
W=335 H=980 1/2step S



W-765 Country Cherry
W=370 H=1005 1/2step S



WA-227 Berg Cherry
W=565 H=970 1/2step SC



W-393 Memphis Cherry
W=330 H=1325 1/2step S



W-394 Tennessee Cherry
W=330 H=1325 1/2step S

Japanese Wood



W-371 Bisyu Hinoki
W=465 H=995 box S



W-372 Kiso Hinoki
W=465 H=995 box S



W-367 Sen
W=410 H=980 1/2step C



W-385 Yachi Tamo
W=340 H=990 1/2step S



W-305 White Paulownia
W=340 H=960 1/2step S



W-723 Aizu Kiri
W=340 H=960 1/2step S



W-724 Sumizome Kiri
W=340 H=960 1/2step S



W-356 Yamato Keyaki
W=605 H=1325 1/2step C

Icon

Color Fastness 3-5years

Please refer to "Technical Data" P13-P15.

Bigger image

Bigger images are available in "the Image Book".

Maple



W-638 (Plain Maple)



W-639 Pale Maple **NEW**
W=500 H=965 1/2step SC



W-638 Plain Maple **NEW**
W=500 H=965 1/2step SC



W-757 Iris Maple
W=610 H=1325 1/2step SC



W-320 Léger Maple
W=365 H=970 1/2step S



W-786 Leo Maple
W=525 H=1340 1/2step C



W-787 Lia Maple
W=525 H=1340 1/2step C



W-321 Lourd Maple
W=365 H=970 1/2step S

Burl



W-780 Bird's Eye Maple
W=160 H=995 1/2step B



W-207 Bird's Eye Rosé
W=295 H=970 box B



W-378 Jaguar Burl
W=370 H=330 box B

Sycamore



W-727 Aurora Sycamore
W=620 H=960 box S



W-213 Cremona Sycamore
W=590 H=970 1/2step S



W-728 Ariel Sycamore
W=620 H=960 box S

Alder



WA-225 Roast Alder
W=470 H=970 1/2step SC

Katsura



W-206 Kind Wood
W=350 H=970 1/2step S



W-336 Tender Wood
W=350 H=970 1/2step S

Beech



W-203 Carnus Beech
W=680 H=1085 1/2step SC

Anigre



WA-256 Fresh Anigre
W=525 H=1325 1/2step S



WA-257 Pleasant Anigre
W=525 H=1325 1/2step S



W-254 Balazs Anigre
W=545 H=1000 1/2step S



W-374 Epoca Anigre
W=460 H=995 1/2step S

Poplar



W-316 Franc Poplar
W=290 H=970 1/2step S



W-334 Real Poplar
W=425 H=970 1/2step S

Mahogany



W-376 Deep Mahogany
W=385 H=995 1/2step S



WA-259 Old Mahogany
W=600 H=1325 1/2step S

Teak



W-282 Nadia Teak
W=560 H=1340 1/2step SC

Karin



W-364 Sumie Karin
W=170 H=995 1/2step S

Ebony



W-218 Ebony Classico
W=500 H=970 1/2step S

Bamboo



W-726 Charcoal Bamboo
W=630 H=970 1/2step S



CM-82 White Tineo
W=610 H=915 1/2step



CM-51 Flow Cream
W=310 H=645 1/2step



CM-83 Dark Tineo
W=610 H=915 1/2step



CM-52 Flow Black
W=310 H=645 1/2step



W-642 Red Striped Wood **NEW**
W=575 H=970 1/2step

ABSTRACT PATTERN

1
2
3
4
5
6
7



CM-120 Kagerou NEW



CM-120 (Kagerou)




DA-47 SIRAHIME W=445 H=650 1/2step




DA-70 Shiranui NEW



DA-70 (Shiranui)



DA-46 TATSUTAHIME




DA-44 SAHOHIME



DA-77 Tsukushi NEW



DA-77 (Tsukushi)



DA-45 TSUTSUHIME



DA-48 KUROHIME W=445 H=650 1/2step

CONCEPT BELBIEN

KASANE ~overlap

The exquisite finish finally combines with workmen's heart. Overlapping with accumulated experiences and the passion for manufacturing high-quality products — belbien will continue to evolve.

Icon



Bigger image

Bigger images are available in "the Image Book".



F-472 (Tsumugi Russet)



DA-66 Izanami NEW



DA-67 Izanagi NEW



DA-68 Amateru NEW



DA-69 Tsukiyomi NEW



F-472 Tsumugi Russet NEW



F-468 Tsumugi Noir NEW

TRADITIONAL WA MODERNITY ~Japanese

To connect tradition and innovation with using our mind and craftsmanship.



Upper / DA-68 (Amateru) Middle / DA-66 (Izanami) Bottom / DA-69 (Tsukiyomi)

ABSTRACT PATTERN

1
2
3
4
5
6
7

Icon



Bigger image

Bigger images are available in "the Image Book".

ABSTRACT PATTERN

1

2

3

4

5

6

7



S-519 Milky Sand
W=300 H=670 1/2step



S-536 Carne Arena
W=300 H=670 1/2step



S-535 Peony Sand
W=300 H=670 1/2step



S-534 Lily Sand
W=300 H=670 1/2step



S-537 Cielo Arena
W=300 H=670 1/2step



A-830 D'Azur
W=430 H=670 1/2step



A-846 Bruma Rosso
W=430 H=670 1/2step



A-845 Primavera
W=430 H=670 1/2step



A-844 Trèfle Blanc
W=430 H=670 1/2step



A-723 Marina
W=440 H=670 box



A-832 Marubera
W=430 H=670 1/2step



A-831 Casales
W=430 H=670 1/2step



A-853 Kirara Coquille
W=440 H=985 1/2step



A-753 Fox Flare
W=910 H=995 box



A-824 Arashi Cloth
W=340 H=670 1/2step



A-725 Stella
W=440 H=670 box



C-605 Silvy Shell
W=440 H=335 1/2step



C-659 Porcelain Cool
W=410 H=490 1/2step



DA-65 Carta Solid
W=465 H=780 box

NEW



DA-50 Frosty Snow
W=435 H=670 1/2step



DA-39 Frosty White
W=435 H=670 1/2step



DA-38 Haily Cleam
W=460 H=335 box




DA-51 Haily Neige
W=460 H=335 box




DA-49 Haily Snow
W=460 H=335 box



DA-65 (Carta Solid)



DA-35 Haily White
W=460 H=335 box



DA-36 Haily Black
W=460 H=335 box

Icon




DA-62 Haily Graphite
W=450 H=660 1/2step

NEW



DA-76 Haily Charcoal
W=460 H=335 box

NEW



DA-40 White Dripping
W=340 H=675 1/2step



DA-41 Black Dripping
W=340 H=675 1/2step

Icon

ABSTRACT PATTERN

Icon



Color Fastness
3-5years

Please refer to
"Technical Data"
P13-P15.

METAL

1



CM-126 (Burnt Fer)

2

3

4

5

6

7

Icon



Information

In overlap, please make sure to sand and apply primer on overlapping part.



Bigger image

Bigger images are available in "the Image Book".



CM-122 Confiance **NEW**
W=630 H=640 1/2step



CM-66 Chevalier **NEW**
H=635



CM-126 Burnt Fer **NEW**
W=550 H=760 1/2step



DA-75 Grunge Fer **NEW**
W=510 H=330 1/2step



CM-65 Sand Etain **NEW**
W=450 H=630 1/2step



CM-123 Grunge Etain **NEW**
W=525 H=315 1/2step



CM-124 Grunge Cuivre **NEW**
W=450 H=640 1/2step



BR-540 Bronze Sand **NEW**
W=300 H=660 1/2step




BR-541 Antique Brass **NEW**
W=340 H=330 1/2step



CM-125 (Officier)

| C

| D



FM-40 Silver Spin



FM-41 Gold Spin



FM-37 Silver Blast



FM-38 Precious Silver




FM-39 Precious Gold



FM-43 Pink Gold **NEW**



FM-42 Precious Stainless **NEW**



CO-195 Blanche Sablon



CO-180 Luna Grano



CO-181 Meteor Grano



CO-182 Space Grano



CO-183 Capella Grano **NEW**




CO-198 Gold Sablon



CO-197 Charcoal Sablon



CO-196 Noir Sablon



CO-285 Silver Ash




CO-281 Stormy Silver



CO-291 Sable Noir



DA-54 Rusty Gray
W=345 H=670 1/2step



DA-52 Rusty Brown
W=345 H=670 1/2step



DA-53 Rusty Charcoal
W=345 H=670 1/2step

1

2

3

4

5

6

Icon



Color Fastness 3-5years

Please refer to "Technical Data" P13-P15.



Twinkling effect

Twinkling effect under lights.

| A

| B

| A

| B

| C

| D

METAL

1				
	BR-601 Yellow Vibration	BR-600 Red Vibration	BR-602 Dark Vibration	BR-603 Blue Vibration
2				
	BR-604 Stainless Vibration	BR-242 Scar Bronze	BR-381 Fiber Silver	BR-382 Fiber Dark
3				
	BR-398 Silver Neige	BR-291 Gold Blade	BR-292 Bronze Blade	BR-296 Peridot Blade
4				
	CM-53 Shirotae W=1220 H=765 box	CM-58 Ima Korin W=1220 H=645 box	CM-57 Ima Tanyu W=1220 H=645 box	CM-55 Ubatama W=1220 H=765 box
5				
			A-731 Tempyo W=345 H=670 1/2step	F-464 Sotatsu W=305 H=400 1/2step
6				
	CY-100 Luminance White	CY-110 Luminance Beige		
7				
		CY-104 Luminance Maroon	CY-111 Luminance Noir	CY-109 Luminance Black

METAL

1				
	MA-700 Light Duralmin	BR-391 Excess Silver	FM-31 Shower Silver	FM-32 Shower Stain
2				
	BR-392 Excess Gray	BR-393 Excess Black	FM-33 Shower Brass	FM-34 Shower Gold
3				
	MA-701 Dark Stainless	CM-64 Hairline Stainless		
4				
	CM-60 Red Bronze	CM-61 Yellow Bronze	CM-62 Dark Bronze	CM-63 Blue Bronze
5				
	FM-11 Bright Silver	FM-23 Clémantine Gold		
6				
	BR-251 Charcoal Checker			



F-716 (Kasuri Charcoal)



F-716 Kasuri Charcoal
W=1220 H=830 box



F-715 Kasuri Brun
W=1220 H=830 box




F-714 Kasuri Noir
W=1220 H=830 box



F-470 Luna Satin
W=480 H=650 box



F-469 Venus Satin
W=480 H=650 box



F-719 White Linen
W=500 H=330 box



F-720 Ivory Linen
W=500 H=330 box



F-721 Earthy Linen
W=500 H=330 box




F-722 Ethnic Linen
W=500 H=330 box



F-723 Black Linen
W=500 H=330 box



F-469 (Venus Satin)



DA-55 White Lattice
W=200 H=400 box




DA-72 Frore Chanvre
W=440 H=670 1/2step




DA-61 Snow Lattice
W=200 H=400 box




DA-57 Luna Linea
W=200 H=400 box




F-433 White Kasuri
W=450 H=645 1/2step




F-718 Snow Satin



F-409 Snow Nest



F-2745 Cheval Blanc
W=75 H=130 1/2step



DA-56 Charcoal Line
W=200 H=400 box



DA-71 Nocturne Chanvre



DA-58 Baron Lattice
W=200 H=400 box



F-434 Black Kasuri
W=450 H=645 1/2step



F-717 Dark Satin



F-408 Fabric Metal



F-746 Cheval Noir
W=75 H=130 1/2step



K-202 Cream Calf
W=215 H=200 box



K-263 Ecru Leather
W=365 H=650 1/2step



K-257 Beige Calf
W=675 H=665 box



K-216 Marron Calf
W=225 H=335 1/2step



K-214 Bordeaux Calf
W=380 H=605 1/2step



K-252 Dark Brown Calf
W=675 H=665 box



K-207 Bitter Calf




K-206 Black Calf



K-200 White Morocco
W=215 H=200 box



K-203 Bitter Morocco
W=215 H=200 box



K-201 Black Morocco
W=215 H=200 box

Icon



Information

When bended sharply, please use dryer and warm up the films to prevent appearance change of the edge.



Color Fastness 3-5years

Please refer to "Technical Data" P13-P15.



Twinkling effect

Twinkling effect under lights.

1

2

3

4

5

6

7

Icon



Information

When bended sharply, please use dryer and warm up the films to prevent appearance change of the edge.



Color Fastness 3-5years

Please refer to "Technical Data" P13-P15.



Bigger image

Bigger images are available in "the Image Book".



DA-74 (Noir Crack)



DA-73 Blanche Crack **NEW**
W=585 H=660 box



DA-74 Noir Crack **NEW**
W=585 H=660 box



DA-63 Frore Cascade **NEW** 
W=505 H=335 1/2step



DA-64 Nocturne Cascade **NEW**
W=505 H=335 1/2step



S-550 Bianco Carrara 
W=455 H=655 1/2step



A-152 Perlino Marble 
W=1220 H=660 box



SA-534 Marumo Palazzo
W=485 H=795 1/2step



SA-595 Filetto Chiaro
W=615 H=845 1/2step



DA-59 White Duke
W=580 H=800 1/2step



S-571 Cool Guache
W=445 H=325 1/2step



A-833 Crema Argi
W=435 H=670 1/2step



A-851 Chiostro Arancio
W=490 H=960 1/2step




S-752 Cream Sand
W=580 H=500 box



S-560 Light Gray Sand
W=580 H=500 box



S-561 Blue Gray Sand
W=580 H=500 box



S-500 Ivory Sand
W=590 H=670 box



S-526 Frosty Sand
W=300 H=670 1/2step



S-520 Gloaming Sand
W=300 H=670 1/2step

Icon



Bigger image
Bigger images
are available
in "the Image Book".

BASIC COLOR

EMBOSS – SERIES HAVE BEEN NEWLY
ADDED TO THE BASIC COLORS.

Traditional basic colors have had no individuality or expression.
With the addition of expressive basic colors, the belbien series
changes the traditional concept.
Do you want a different atmosphere or a special feel? Do you want
to combine colors to create a rhythm? If so, then select belbien
series products, which now can meet your needs.



STANDARD



RAFFUL

With 3-D embossing, these patterns
feature expression changing by the
angle, viewpoint and lighting.



RIDGE

These patterns feature combination of
matte textures and delicate embossed
stripes.



SILK

Based on precise texture embossing,
these patterns feature the expression of
brilliance and elegance like those of silk.



GESSO

With subtle inconsistencies created by
traces that look like trowel marks on a
plastered wall, these patterns feature
the warmth created by an artisan.

BASIC COLOR

1

2

3

4

5

6

7

8

9

10

Icon

RA
Rafful

RI
Ridge

SI
Silk


GE
Gesso

Please refer to P26.




Color Fastness
3-5years

Please refer to
"Technical Data"
P13-P15.



BC-145 **GE NEW**
Mild White Gesso 1Y 9.2/0.6



BC-147 **GE NEW**
Trust White Gesso 5Y 9.1/1.1




BC-146 **SI NEW**
Soft White Silk 8.5YR 8.9/0.9



BC-2131
Tender White 5Y 9.1/1.1



BC-2141
Soft White 8.5YR 8.9/0.9




BC-132
Milk White 2.5Y 8.7/1.0



BC-041
Lead White 5Y 8.8/1.0



BC-034
Pale Oyster 5Y 8.0/1.0



BC-023
Pale Ecru 7.5YR 8.0/1.0



BC-035
Oyster 2.5YR 6.8/2.0



BC-124
Ficelle Beige 10YR 7.1/1.8



BC-046
Mastic 1Y 6.0/1.0



BC-037
Umber 9YR 5.2/2.0



BC-039
Sepia 4YR 3.0/1.0



BC-038
Chesnut Brown 9YR 3.8/1.5



PR-160
Cinnamon 10R 5.0/5.0



PR-262
Persimmon 10R 5.8/11.5



PR-278
Mari Gold 4YR 6.7/13.5



PR-142
Flax 10YR 6.8/4.0



PR-263
Sunflower 2Y 7.7/12.0



PR-277
Canary Yellow 7Y 8.8/11.0



PR-276
Elm Green 5G 3.5/5.0



PR-287
Tirol Green 5GY 4.9/5.0



PR-271
Bourgeon 5GY 8.5/5.0



PR-273
Mare Blue 5.5PB 4.5/10.0



PR-272
Sky Blue 5PB 5.8/7.0



PR-288
Peppermint Green 5.5BG 5.5/8.5



PR-265
Prussian Blue 2.5PB 3.0/5.0



PR-290
Ultramarine 6.5PB 3.4/12.8



PR-291
Cerulean 1.5PB 4.9/11.5



PR-282
Bacchus Red 1R 3.0/9.6



PR-175
Agate 1R 4.4/13.3



PR-283
Italian Rose 9RP 5.3/11.2



PR-156
Wine Red 4R 3.8/7.0



PR-261
Carmine 2.5R 3.7/11.0



PR-280
Very Red 6R 3.7/12.3



PR-300 **RA NEW**
Very Red Ruffle 6R 3.7/12.3

BASIC COLOR

1

2

3

4

5

6

7

8

9

10

Icon

RA
Rafful

RI
Ridge

SI
Silk

GE
Gesso

Please refer to P26.




Color Fastness
3-5years

Please refer to
"Technical Data"
P13-P15.

SF

Special Finish

Please refer to
"Technical Data"
P14.



NC-174 **RA NEW**
Precious White Rafful 7GY 9.4/0.1




BC-142 **RI NEW**
Warm White Ridge 7.5Y 9.5/0.2




NC-171 **RI NEW**
Trust White Ridge 10Y 9.0/0.4




NC-176 **RA NEW**
Trust White Rafful 10Y 9.0/0.4



NC-170 **RI NEW**
Precious White Ridge 7GY 9.4/0.1



BC-144 **GE NEW**
Warm White Gesso 7.5Y 9.5/0.2



NC-177 **GE NEW**
Trust White Gesso 10Y 9.0/0.4



NC-178 **SI NEW**
Trust White Silk 10Y 9.0/0.4



NC-2150
Precious White 7GY 9.4/0.1




BC-040
Warm White 7.5Y 9.5/0.2



NC-2151
Trust White 10Y 9.0/0.4



BC-2121
Mild White 1Y 9.2/0.6



NC-050
Cool White 5PB 9.3/0.2



BC-061
Pale White 5PB 9.8/0.5



NC-051
Shell White 10B 8.8/0.1



BC-042
Shell Gray 6.5Y 8.8/1.0



NC-052
Pearl Gray 10B 8.3/0.3



NC-053
Silver Gray 8.5B 7.7/0.1



BC-043
Ivory Gray 6Y 8.2/1.0



NC-056
Mid Gray 10B 6.0/0.7



NC-055
Sensitive Gray 7.5B 6.5/0.5



BC-044
Pale Clay 5Y 7.3/1.0



NC-057
Slate Gray 7.5B 4.4/0.5



BC-045
Clay 6Y 6.8/1.0



NC-058
Charcoal Gray 5PB 2.8/0.5



NC-059
Black N1.9/



BC-129
Burnt Umber 10R 1.7/0.7



NC-175 **RA NEW**
Black Ruffle N 1.9/



NC-173 **RI NEW**
Black Ridge N 1.9/



NC-179 **SI NEW**
Black Silk N 1.9/

B

C

D

E

A

B

C

D

E

belbienEX




Color Fastness
about 10 years



First-class weather resistance

The belbien EX series offers sophisticated films with excellent weather and stain resistance. The belbien EX series can be used for both interior and exterior applications.

1



EW-1300 Line Walnut Plus
W=600 H=970 1/2step

EK-2206 Greek Calf
W=345 H=670 1/2step

EA-6100 Haily White Plus
W=460 H=335 box

2



ES-5229 Bianco Palazzo
W=485 H=795 1/2step

ES-5600 Perlino Skill
W=1220 H=650 box

ES-5712 Silky Frost
W=250 H=405 1/2step

Icon



Color Fastness
about 10 years
Please refer to
"Technical Data"
P13-P15.



Bigger image
Bigger images
are available
in "the Image Book".

Spec

usable width W:1,220mm
sales unit L: 50m

IMPORTANT

EA, ES, EK, EW type can be used for both interior and exterior applications.
When selecting from below, please be sure to read "Technical Data" P13-P15.



Stain resistance

They also offer excellent resistance to chemicals and solvents, meaning that you can safely use thinner and other solvents. The films are suitable even for bathrooms and other wet areas as well as exterior applications.

Ultra-high weather resistance

With toughness and a weather resistance that lasts approximately 10 years, its reliability has been highly rated through 20 years of sales history.

Excellent design quality

As pioneering films for exterior use, the series offers popular designs with a long history as well as basic, unweariness expressiveness.

1



EW-1707 Beat Oak
W=395 H=980 1/2step

EW-1708 Rhythm Oak
W=395 H=980 1/2step

EW-1202 Fair Wood
W=350 H=970 1/2step

EW-1805 Black Dao
W=520 H=1310 1/2step

2



EW-1201 Regal Oak
W=415 H=970 1/2step

ES-5103 Silver Stony
W=345 H=660 1/2step

EA-6005 Black Muse
W=1220 H=660 box

3



ES-5212 Snow Bessel
W=535 H=330 1/2step

ES-5200 Irish Clay
W=170 H=220 1/2step

EA-6710 Marzo Flor
W=230 H=325 1/2step

ES-5202 Mist Clay
W=170 H=220 1/2step

Icon



Color Fastness
about 10 years
Please refer to
"Technical Data"
P13-P15.



Bigger image
Bigger images
are available
in "the Image Book".

belbien®

White Board Sheet

Spec

Size W : 1,250mm L : 30m
 Fire-safety certification by MLIT in Japan
 : Certified on metal substrate(except aluminium)
 Formaldehyde release grade certification by MLIT in Japan
 : Certified as F☆☆☆☆



Adding value to the atmosphere.


Applying on a wall, furniture, or partition can make a whiteboard !

Wide variety of usage !

Applicable on two-dimensional curved surfaces, which enables many types of projects.

Color Selection

Available in three colors, fitting in variety of scenes.



● Please prepare surface thoroughly before application(ex. degreasing and sanding), and apply primer so that it is firmly adhered to the surface.

● Corners should desirably have a radius of at least 2R.




In public space !




In kindergarten !




In hospital !



BWH-001 Warm White **NEW**
 4GY 9.5/0.5



BWH-002 Pale Pink **NEW**
 0.5YR 8.5/1.5



BWH-003 Pale Green **NEW**
 8GY 8.5/1



Code	P-C-R
A	
A-152	25-B-4
A-723	18-D-4
A-725	18-A-5
A-731	21-C-5
A-753	18-C-5
A-824	18-B-5
A-830	18-D-3
A-831	18-B-4
A-832	18-C-4
A-833	25-C-5
A-844	18-A-3
A-845	18-B-3
A-846	18-C-3
A-851	25-D-5
A-853	18-A-4
BC	
BC-023	28-B-5
BC-034	28-A-5
BC-035	28-A-6
BC-037	28-B-7
BC-038	28-B-8
BC-039	28-A-8
BC-040	27-C-3
BC-041	28-B-4
BC-042	27-E-4
BC-043	27-E-5
BC-044	27-E-6
BC-045	27-E-7
BC-046	28-A-7
BC-061	27-C-4
BC-2121	27-E-3
BC-124	28-B-6
BC-129	27-E-8
BC-2131	28-A-3
BC-132	28-A-4
BC-2141	28-B-3
BC-142	NEW 27-C-1
BC-144	NEW 27-C-2
BC-145	NEW 28-A-1
BC-146	NEW 28-B-2
BC-147	NEW 28-A-2
BR	
BR-242	21-B-2
BR-251	22-A-6
BR-291	21-B-3
BR-292	21-C-3
BR-296	21-D-3
BR-381	21-C-2
BR-382	21-D-2
BR-391	22-B-1
BR-392	22-A-2
BR-393	22-B-2
BR-398	21-A-3
BR-540	NEW 19-C-4
BR-541	NEW 19-D-4
BR-600	21-B-1
BR-601	21-A-1
BR-602	21-C-1
BR-603	21-D-1
BR-604	21-A-2
C	
C-605	18-B-6
C-659	18-A-6
CM	
CM-51	14-C-6
CM-52	14-C-7
CM-53	21-A-4

Code	P-C-R
CM-55	21-D-4
CM-57	21-C-4
CM-58	21-B-4
CM-60	22-A-4
CM-61	22-B-4
CM-62	22-C-4
CM-63	22-D-4
CM-64	22-B-3
CM-65	NEW 19-C-3
CM-66	NEW 19-B-7
CM-82	14-A-6
CM-83	14-A-7
CM-120	NEW 15-A-1
CM-121	NEW 19-B-5
CM-122	NEW 19-A-7
CM-123	NEW 19-D-3
CM-124	NEW 19-B-4
CM-125	NEW 19-A-5
CM-126	NEW 19-C-1
CO	
CO-180	20-B-3
CO-181	20-C-3
CO-182	20-D-3
CO-183	NEW 20-A-4
CO-195	20-A-3
CO-196	20-D-4
CO-197	20-C-4
CO-198	20-B-4
CO-281	20-C-5
CO-285	20-B-5
CO-291	20-D-5
CY	
CY-100	21-A-6
CY-104	21-B-7
CY-109	21-D-7
CY-110	21-B-6
CY-111	21-C-7
DA	
DA-35	17-A-4
DA-36	17-C-5
DA-38	17-D-4
DA-39	17-C-3
DA-40	17-A-6
DA-41	17-A-7
DA-44	15-A-7
DA-45	15-D-5
DA-46	15-D-3
DA-47	15-D-1
DA-48	15-D-6
DA-49	17-B-4
DA-50	17-D-3
DA-51	17-C-4
DA-52	20-C-6
DA-53	20-D-6
DA-54	20-B-6
DA-55	23-A-4
DA-56	23-A-6
DA-57	23-D-4
DA-58	23-C-6
DA-59	25-A-5
DA-61	23-C-4
DA-62	NEW 17-B-5
DA-63	NEW 25-C-3
DA-64	NEW 25-D-3
DA-65	NEW 17-C-1
DA-66	NEW 16-A-4
DA-67	NEW 16-B-4
DA-68	NEW 16-A-6
DA-69	NEW 16-B-6
DA-70	NEW 15-A-3

Code	P-C-R
DA-71	NEW 23-B-6
DA-72	NEW 23-B-4
DA-73	NEW 25-C-1
DA-74	NEW 25-D-1
DA-75	NEW 19-D-1
DA-76	NEW 17-A-5
DA-77	NEW 15-A-5
E	
EA-6005	30-D-2
EA-6100	29-D-1
EA-6710	30-C-3
EK-2206	29-C-1
ES-5103	30-C-2
ES-5200	30-B-3
ES-5202	30-D-3
ES-5212	30-A-3
ES-5229	29-A-2
ES-5600	29-C-2
ES-5712	29-D-2
EW-1201	30-A-2
EW-1202	30-C-1
EW-1300	29-A-1
EW-1707	30-A-1
EW-1708	30-B-1
EW-1805	30-D-1
F	
F-408	23-C-7
F-409	23-C-5
F-433	23-A-5
F-434	23-A-7
F-464	21-D-5
F-468	NEW 16-D-1
F-469	NEW 24-B-1
F-470	NEW 24-A-1
F-472	NEW 16-C-1
F-714	23-D-2
F-715	23-D-1
F-716	23-C-1
F-717	23-B-7
F-718	23-B-5
F-719	24-A-2
F-720	24-A-3
F-721	24-B-3
F-722	24-A-4
F-723	24-B-4
F-2745	23-D-5
F-746	23-D-7
FM	
FM-11	22-A-5
FM-23	22-B-5
FM-31	22-C-1
FM-32	22-D-1
FM-33	22-C-2
FM-34	22-D-2
FM-37	20-C-1
FM-38	20-A-2
FM-39	20-B-2
FM-40	20-A-1
FM-41	20-B-1
FM-42	NEW 20-D-2
FM-43	NEW 20-C-2
K	
K-200	24-A-7
K-201	24-C-7
K-202	24-A-5
K-203	24-B-7
K-206	24-D-6
K-207	24-C-6
K-214	24-A-6

Code	P-C-R
K-216	24-D-5
K-252	24-B-6
K-257	24-C-5
K-263	24-B-5
MA	
MA-700	22-A-1
MA-701	22-A-3
MT	
MT-10	SF 27-A-3
MT-11	SF 27-A-4
MT-12	SF 27-A-5
MT-13	SF 27-A-6
NC	
NC-050	27-B-4
NC-051	27-D-4
NC-052	27-C-5
NC-053	27-D-5
NC-055	27-D-6
NC-056	27-C-6
NC-057	27-C-7
NC-058	27-C-8
NC-059	27-D-8
NC-2150	27-B-3
NC-2151	27-D-3
NC-170	NEW 27-B-2
NC-171	NEW 27-D-1
NC-173	NEW 27-D-10
NC-174	NEW 27-B-1
NC-175	NEW 27-C-10
NC-176	NEW 27-E-1
NC-177	NEW 27-D-2
NC-178	NEW 27-E-2
NC-179	NEW 27-E-10
PR	
PR-142	28-C-4
PR-156	28-C-9
PR-160	28-C-3
PR-175	28-D-8
PR-261	28-D-9
PR-262	28-D-3
PR-263	28-D-4
PR-265	28-C-7
PR-271	28-E-5
PR-272	28-D-6
PR-273	28-C-6
PR-276	28-C-5
PR-277	28-E-4
PR-278	28-E-3
PR-280	28-E-9
PR-282	28-C-8
PR-283	28-E-8
PR-287	28-D-5
PR-288	28-E-6
PR-290	28-D-7
PR-291	28-E-7
PR-300	NEW 28-E-10
S	
S-500	25-A-7
S-519	18-D-1
S-520	25-C-7
S-526	25-B-7
S-534	18-A-1
S-535	18-B-1
S-536	18-C-1
S-537	18-A-2
S-550	25-A-4
S-560	25-B-6
S-561	25-C-6

Code	P-C-R
S-571	25-B-5
S-752	25-A-6
SA	
SA-534	25-C-4
SA-595	25-D-4
SG	
SG-30	SF 27-A-7
SG-31	SF 27-A-8
SG-32	SF 27-A-9
SG-33	SF 27-A-10
SW	
SW-10	7-A-3
SW-15	6-A-2
SW-16	7-A-1
SW-17	7-A-4
SW-18	5-B-1
SW-19	3-A-6
SW-20	7-B-3
SW-24	3-B-6
SW-25	7-B-4
SW-26	7-D-3
SW-27	5-C-1
SW-28	1-C-3
SW-32	7-D-4
SW-33	5-A-4
SW-43	5-A-3
SW-44	5-B-4
SW-45	3-A-4
SW-46	3-A-5
SW-47	5-D-3
SW-48	7-A-5
SW-49	7-B-5
SW-54	2-A-4
SW-55	2-B-4
SW-56	3-B-4
SW-57	3-B-5
SW-58	6-B-2
SW-59	6-D-2
SW-60	2-B-5
SW-61	2-C-5
SW-62	7-C-3
SW-63	7-C-4
SW-64	2-C-4
SW-65	2-D-4
SW-66	5-C-4
SW-70	4-C-3
SW-72	5-C-5
SW-73	5-D-6
SW-75	6-B-5
SW-76	4-D-2
SW-77	4-B-5
SW-79	6-C-2
SW-80	5-A-2
SW-81	5-C-3
SW-82	6-A-1
SW-84	6-D-3
SW-85	6-B-6
SW-86	6-C-6
SW-88	6-B-4
SW-89	6-C-4
SW-90	6-C-1
SW-91	6-D-1
SW-92	6-C-3
SW-93	5-B-2
SW-95	5-A-5
SW-96	5-B-5
SW-97	5-D-5
SW-98	3-D-4
SW-99	3-D-6
SW-100	3-C-4

Code	P-C-R
SW-101	3-C-5
SW-102	3-C-6
SW-103	7-B-1
SW-104	7-C-2
SW-106	7-B-2
SW-107	7-A-2
SW-108	7-C-5
SW-110	4-B-6
SW-111	2-A-6
SW-112	2-B-6
SW-113	2-A-5
SW-114	2-D-5
SW-115	6-B-1
SW-116	7-D-2
SW-117	5-B-3
SW-118	5-A-1
SW-119	3-A-3
SW-120	3-B-3
SW-121	6-A-6
SW-122	6-D-6
SW-124	2-A-3
SW-125	2-C-2
SW-126	2-D-2
SW-127	4-A-4
SW-128	4-C-1
SW-129	4-D-4
SW-130	4-B-4
SW-131	4-C-4
SW-133	4-C-2
SW-134	6-A-4
SW-135	6-A-5
SW-136	6-C-5
SW-137	4-A-5
SW-138	7-D-5
SW-139	2-B-3
SW-140	2-C-3
SW-141	NEW 1-C-2
SW-142	NEW 3-C-3
SW-143	NEW 3-D-3
SW-144	NEW 1-B-5
SW-145	NEW 1-A-5
SW-146	NEW 1-B-6
SW-147	NEW 3-C-2
SW-148	NEW 3-C-1
SW-149	NEW 1-A-4
SW-150	NEW 2-C-1
SW-151	NEW 2-D-1
SW-152	NEW 1-C-1
W	
W-200	9-C-6
W-201	10-D-1
W-202	10-C-3
W-203	14-C-1
W-205	12-B-4
W-206	14-A-1
W-207	13-B-5
W-210	8-A-3
W-211	8-B-3
W-213	13-B-6
W-216	11-C-6
W-217	11-D-6
W-218	14-C-5
W-223	8-A-4
W-224	8-B-4
W-244	10-B-7
W-245	10-C-7
W-250	10-C-5
W-251	10-D-5
W-252	10-B-5
W-253	10-C-6
W-254	14-C-2
W-255	14-B-3

Code	P-C-R
W-262	10-D-2
W-282	14-A-5
W-303	10-D-3
W-304	10-A-5
W-305	12-A-7
W-306	10-D-7
W-316	14-C-3
W-320	13-D-3
W-321	13-C-4
W-334	14-D-3
W-336	14-B-1
W-345	10-A-1
W-346	10-B-1
W-356	12-D-7
W-358	11-D-5
W-360	12-B-3
W-364	14-B-5
W-367	12-C-6
W-371	12-A-6
W-372	12-B-6
W-373	14-A-3
W-374	14-D-2
W-376	14-A-4
W-378	13-C-5
W-385	12-D-6
W-388	12-A-4
W-390	9-D-6
W-391	10-A-3
W-392	12-D-2
W-393	12-C-5
W-394	12-D-5
W-617	NEW 11-A-3
W-618	NEW 11-B-3
W-619	NEW 11-D-3
W-620	NEW 11-C-3
W-621	NEW 8-A-7
W-622	NEW 11-A-4
W-623	NEW 11-B-4
W-624	NEW 11-D-4
W-625	NEW 11-C-4
W-626	NEW 8-B-7
W-627	NEW 8-C-7
W-628	NEW 9-A-4
W-629	NEW 9-B-4
W-630	NEW 9-B-5
W-631	NEW 9-A-3
W-632	NEW 8-A-5
W-633	NEW 8-A-6
W-634	NEW 11-C-1
W-635	NEW 11-C-2
W-636	NEW 12-C-2
W-637	NEW 12-C-1
W-638	NEW 13-C-2
W-639	NEW 13-C-1
W-640	NEW 11-B-5
W-641	NEW 11-C-5
W-642	NEW 14-D-7
W-643	NEW 8-C-3
W-644	NEW 8-D-2
W-650	NEW 9-C-2
W-651	NEW 9-D-2
W-652	NEW 9-C-1
W-653	NEW 8-C-2
W-654	NEW 8-C-1
W-714	10-B-6
W-715	10-D-6
W-716	10-A-6
W-717	10-A-7
W-719	9-A-7
W-720	9-C-7
W-721	9-D-7
W-722	12-C-3
W-723	12-B-7

Code		P-C-R
W-724		12-C-7
W-726		14-D-5
W-727		13-A-6
W-728		13-C-6
W-753		8-D-7
W-757		13-C-3
W-764		12-D-3
W-765		12-A-5
W-780		13-A-5
W-786		13-A-4
W-787		13-B-4
WA		
WA-225		13-D-6
WA-227		12-B-5
WA-232		11-B-7
WA-233		11-A-7
WA-256		14-A-2
WA-257		14-B-2
WA-259		14-B-4
WA-380		10-C-1
WA-381		10-B-2
WA-382		10-C-2
WA-386		12-A-3
WA-387		12-C-4
WB		
WB-400		9-B-7
WB-401		9-B-6
WB-402		10-A-4
WB-403		9-A-6
WB-404		10-A-2
WB-405		10-B-3

<