

MATERIAL SAFETY 3M
 DATA SHEET 3M Center
 St. Paul, Minnesota
 55144-1000
 1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 1998, Minnesota Mining and Manufacturing Company.
 All rights reserved. Copying and/or downloading of this
 information for the purpose of properly utilizing 3M products
 is allowed provided that:

- 1) the information is copied in full with no changes unless
 prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise
 distributed with the intention of earning a profit thereon.

This material safety data sheet (MSDS) is provided as a courtesy
 in response to a customer request. This product is not regulated
 under, and a MSDS is not required for this product by the OSHA
 Hazard Communication Standard (29 CFR 1910.1200) because, when
 used as recommended or under ordinary conditions, it should not
 present a health and safety hazard. However, use or processing
 of the product not in accordance with the product's
 recommendations or not under ordinary conditions may affect the
 performance of the product and may present potential health and
 safety hazards.

DIVISION: SPECIFIED CONSTRUCTION PRODUCTS

TRADE NAME:

3M SCOTCHTINT BRAND SUN CONTROL WINDOW FILMS

ID NUMBER/U.P.C.:

70-0060-2541-8	-	-	-	70-0060-5079-6	00-21200-13376-3
70-0060-5921-9	00-21200-15225-2	70-0060-7132-1	00-21200-01950-0		
70-0060-8189-0	00-51131-51022-7	70-0060-8190-8	00-51131-51023-4		
70-0060-8192-4	00-51131-51020-3	70-0060-8250-0	00-51131-51027-2		
70-0060-8252-6	00-51131-51029-6	70-0060-8253-4	00-51131-51030-2		
70-0060-8766-5	00-51131-51081-4	70-0060-9661-7	00-51131-51273-3		
70-0060-9662-5	00-51131-51274-0	70-0060-9884-5	00-51131-51307-5		
70-0060-9887-8	00-51131-51304-4	70-0060-9892-8	00-51131-51298-6		
70-0060-9893-6	00-51131-51297-9	70-0061-0004-7	00-51131-51287-0		
70-0061-0006-2	00-51131-51285-6	70-0061-0007-0	00-51131-51284-9		
70-0061-0129-2	00-51131-51311-2	70-0061-0616-8	00-51131-51328-0		
70-0061-0617-6	00-51131-51329-7	70-0061-0625-9	00-51131-51334-1		
70-0061-0626-7	00-51131-51335-8	70-0061-0644-0	00-51131-51336-5		
70-0061-0645-7	00-51131-51337-2	70-0061-0968-3	00-51131-51340-2		
70-0061-1031-9	00-51131-51347-1	70-0061-1032-7	00-51131-51346-4		
70-0061-1300-8	00-51131-51348-8	70-0061-1301-6	00-51131-51349-5		
70-0061-1302-4	00-51131-51350-1	70-0061-1303-2	00-51131-51351-8		
70-0061-1304-0	00-51131-51352-5	70-0061-1305-7	00-51131-51353-2		
70-0061-1306-5	00-51131-51354-9	70-0061-1307-3	00-51131-51355-6		
70-0061-1308-1	00-51131-51356-3	70-0061-1309-9	00-51131-51357-0		
70-0061-1310-7	00-51131-51358-7	70-0061-1311-5	00-51131-51359-4		
70-0061-1317-2	00-51131-51365-5	70-0061-1318-0	00-51131-51366-2		
70-0061-1319-8	00-51131-51367-9	70-0061-1328-9	00-51131-51371-6		
70-0061-1330-5	00-51131-51375-4	70-0061-1331-3	00-51131-51374-7		
70-0061-1332-1	00-51131-51373-0	70-0061-1333-9	00-51131-51376-1		
70-0061-2501-0	00-51131-51491-1	70-0061-2502-8	00-51131-51489-8		
70-0061-2503-6	00-51131-51490-4	70-0061-2505-1	00-51131-51494-2		

 Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

HEADING (continued)

70-0061-2506-9	00-51131-51495-9	70-0061-2507-7	00-51131-51496-6
70-0061-2509-3	00-51131-51500-0	70-0061-2529-1	00-51131-51528-4
70-0061-2530-9	00-51131-51529-1	70-0061-2531-7	00-51131-51530-7
70-0061-2532-5	00-51131-51531-4	70-0061-2533-3	00-51131-51532-1
70-0061-2534-1	00-51131-51533-8	70-0061-2535-8	00-51131-51534-5
70-0061-2536-6	00-51131-51535-2	70-0061-2537-4	00-51131-51536-9
70-0061-2540-8	00-51131-51539-0	70-0061-2542-4	00-51131-51545-1
70-0061-2543-2	00-51131-51544-4	70-0061-2544-0	00-51131-51543-7
70-0061-2562-2	00-51131-51572-7	70-0061-2563-0	00-51131-51573-4
70-0061-2564-8	00-51131-51574-1	70-0061-2583-8	00-51131-51597-0
70-0061-2584-6	00-51131-51598-7	70-0061-2585-3	00-51131-51599-4

ISSUED: September 03, 1998
SUPERSEDES: February 24, 1997
DOCUMENT: 07-0798-4

1. INGREDIENT C.A.S. NO. PERCENT

1-2 mil polyethylene terephthalate polyester film with acrylic PSA and backside coating.....	Unknown	100
--	---------	-----

2. PHYSICAL DATA

BOILING POINT:..... N/A
VAPOR PRESSURE:..... N/A
VAPOR DENSITY:..... N/A
EVAPORATION RATE:..... N/A
SOLUBILITY IN WATER:..... Detackifying coat is water soluble.
SPECIFIC GRAVITY:..... N/D
PERCENT VOLATILE:..... N/A
pH:..... N/A
VISCOSITY:..... N/A
MELTING POINT:..... 260 - 265 C

APPEARANCE AND ODOR:
Film, transparent, tinted or reflective

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:..... N/A
FLAMMABLE LIMITS - LEL:..... N/A
FLAMMABLE LIMITS - UEL:..... N/A
AUTOIGNITION TEMPERATURE:..... N/A

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

3. FIRE AND EXPLOSION HAZARD DATA (continued)

EXTINGUISHING MEDIA:

Water spray, Dry chemical, Foam

SPECIAL FIRE FIGHTING PROCEDURES:

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

None known.

NFPA HAZARD CODES: HEALTH: 1 FIRE: 0 REACTIVITY: 0
UNUSUAL REACTION HAZARD: none

4. REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:

None known.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon Monoxide and Carbon Dioxide.

5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:

Not applicable.

RECOMMENDED DISPOSAL:

Dispose of waste product in a sanitary landfill. Disposal alternative: Incinerate in an industrial or commercial facility.

ENVIRONMENTAL DATA:

Not determined.

REGULATORY INFORMATION:

Volatile Organic Compounds: N/A.
VOC Less H2O & Exempt Solvents: N/A.

Since regulations vary, consult applicable regulations or authorities before disposal. U.S. EPA Hazardous Waste Number = None (Not U.S.)

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

5. ENVIRONMENTAL INFORMATION (continued)

EPA Hazardous).

EPCRA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: No CHRONIC: No

6. SUGGESTED FIRST AID

EYE CONTACT:

Not applicable.

SKIN CONTACT:

No need for first aid is anticipated.

INHALATION:

No need for first aid is anticipated.

IF SWALLOWED:

Not applicable.

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

Not applicable.

SKIN PROTECTION:

Not applicable.

RECOMMENDED VENTILATION:

Not applicable.

RESPIRATORY PROTECTION:

Not applicable.

PREVENTION OF ACCIDENTAL INGESTION:

Not applicable.

RECOMMENDED STORAGE:

Not applicable.

FIRE AND EXPLOSION AVOIDANCE:

Not applicable.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

7. PRECAUTIONARY INFORMATION (continued)

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
1-2 mil polyethylene terephthalate polyester film with acrylic PSA and backside coating.....	NONE	NONE	NONE	NONE	

* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:
- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:
Eye contact is not expected to occur during normal use of the product.

SKIN CONTACT:
No adverse health effects are expected from skin contact.

INHALATION:
No adverse health effects are expected from inhalation exposure.

IF SWALLOWED:
Ingestion is not a likely route of exposure to this product.

SECTION CHANGE DATES

HEADING SECTION CHANGED SINCE February 24, 1997 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.